



EDGE® CHAIN DRIVE - AUGERS

Choosing the right auger attachment requires experience, the EDGE attachments team can help you determine the correct auger drive for your machine and application. Factors to consider are: soil condition, hole width and depth and power of your machine. EDGE experts will provide you with the correct mounting plate, hydraulic powered auger drive unit, auger drilling bit and specialized wear parts for your job.

OPERATIONAL BASICS

The EDGE chain auger drives feature pre-stressed, fully adjustable reduction drives and the strongest connecting links available. EDGE chain drive augers come complete with hoses, top link and flat face couplers. Mounts and bits are sold separately.

SPECIFICATIONS

Model	Weight (lbs/kg)	Hyd. Req. (gpm/lpm)	Max. Auger Dia. (in/mm)	Speed (rpm)	Theo. Torque (lbs. ft/Nm)
500CL	160/73	6-14/23-53	18/457	132 @ 14 gpm	980/882 @ 3000 psi
750CL	190/86	8-20/30-76	24/610	161 @ 20 gpm	1118/1003 @ 3000 psi
1200CL	228/103	10-20/38-76	30/762	106 @ 20 gpm	1724/1547 @ 3000 psi
1650CL	243/110	14-24/53-91	36/914	88 @ 24 gpm	2478/2213 @ 3000 psi
2175CL	298/135	18-24/68-91	48/1219	73 @ 24 gpm	2989/2703 @ 3000 psi



Auger drive units and bits available in 2-9/16" Round or 2" Hex output shafts

FEATURES

- Capable of digging holes up to 48" in diameter
- High torque chain-reduction drive
- Mounting ensures perfect balance of auger
- Available with 2-9/16" round and 2" hex output shafts

Machine Compatibility	Gehl Compact Excavators						Mustang Compact Excavators					
	Z17	Z25	Z35	Z45	Z55	Z80	170Z	250Z	350Z	450Z	550Z	800Z
*Chain Drive Auger	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆

*Note: Machine compatibility is based on operating capacity of the machine and the weight of the attachment